



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/619,096	07/14/2003	Michael P. Kurtgis	4001.017	5803

7590 10/08/2004

Mark D. Bowen
Steams Weaver Miller, et al.
Suite 1900
200 East Broward Boulevard
Fort Lauderdale, FL 33301

EXAMINER

SHAW, ELIZABETH ANNE

ART UNIT	PAPER NUMBER
----------	--------------

3644

DATE MAILED: 10/08/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/619,096

Applicant(s)

KURTGIS, MICHAEL P.

Examiner

Elizabeth A. Shaw

Art Unit

3644

W

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 14 July 2003.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-11 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-11 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 7/14/04.
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: _____.

DETAILED ACTION***Double Patenting***

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 1-11 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-10 of U.S. Patent No. 6,604,712 in view of Sherwood (6,374,945). Although the conflicting claims are not identical, they are not patentably distinct from each other because in both instances a method claimed is of providing fall protection for human or non-human loads from an aerial lift to a structure including the steps of connecting a safety lanyard apparatus to a load- the apparatus having first and second lanyards each terminating in a free end, the first lanyard segment having a releasable mechanical connection capable of being activated to disconnect a normally secured free end; a means for activating the releasable mechanical connection in response to a predetermined tensional force and connecting the first lanyard to the aerial lift and the second lanyard to the structure such that failure of the aerial lift places tension on the lanyards triggering the means for

Art Unit: 3644

activating the means for releasing the first lanyard such that the load is secured to the structure via the second lanyard. Kurtgis does not mention providing fall protection for a human load. Sherwood discloses a fall prevention system 16 for preventing a human from falling. It is considered that the human is a load and also that the fall prevention system can be used to prevent non-human loads from falling. To use the teaching preventing and human load from falling of Sherwood with the method of Kurtgis would have been obvious to one skilled in the art in order to widen the variety of uses applicable to the safety device.

Oath/Declaration

A newly executed oath is required. 37 CFR 1.63(e) states: A newly executed oath or declaration must be filed in any continuation-in-part application, which application may name all, more, or fewer than all of the inventors named in the prior application. [48 FR 2711, Jan. 20, 1983, added effective Feb. 27, 1983; 48 FR 4285, Jan. 31, 1983; paras. (b)(3) and (d), 57 FR 2021, Jan. 17, 1992, effective Mar. 16, 1992; para. (a) revised, 60 FR 20195, Apr. 25, 1995, effective June 8, 1995; paras. (a) & (d) revised, para. (e) added, 62 FR 53131, Oct. 10, 1997, effective Dec. 1, 1997; paras. (a), (b), (c), and (e) revised, 65 FR 54604, Sept. 8, 2000, effective Nov. 7, 2000].

Appropriate correction is required.


Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Elizabeth A. Shaw whose telephone number is 703-308-1853. The examiner can normally be reached on M-Th 9:00-4:30.

Art Unit: 3644

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Teri Luu can be reached on 703-305-7421. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Elizabeth A. Shaw
Examiner
Art Unit 3644

September 29, 2004


TERI P. LUU
SUPERVISORY PRIMARY EXAMINER